



SLIDING DOOR TECHNOLOGY 2009

Innovative solutions, high quality details


www.klein-usa.com

KLEIN is a leading company specialized in interior sliding door mechanisms for high end construction and decoration projects.

This is the result of maintaining a philosophy of maximum quality, as certified by TÜV ISO 9001:2000, and a constant involvement in

Research and Development over the 75 years that the company has been in business.

With high quality European manufacture, KLEIN's products are exported to over 55 countries worldwide, providing five different divisions: Furniture, Industrial interior Design,



DISTRIBUTION: SAUDI ARABIA + CAMEROON + IVORY COAST + EGYPT + PHILIPPINES + GREAT
+ NIGERIA + KOREA + TAIWAN + THAILAND + TUNISIA + CANADA + COSTA RICA + EL SALVADOR
REPUBLIC + VENEZUELA + GERMANY + AUSTRIA + BELGIUM + BULGARIA + CYPRUS + DENMA
ICELAND + ITALY + LETTONIA + LITHUANIA + POLAND + CZECH REPUBLIC + ROMANIA + SERBI

Glass, and External Enclosures.

KLEIN is now reinforcing his position in the North American market through innovative frameless glass and wooden sliding door systems.



BRITAIN + HONG KONG + INDIA + IRAN + ISRAEL + JAPAN + KUWAIT + LEBANON + MOROCCO
R + UNITED STATES + MARTINIQUE + MEXICO + PANAMA + PUERTO RICO - U.S.A + DOMINICAN
RK + SLOVENIA + ESTONIA + FINLAND + GREECE + NETHERLANDS + HUNGARY + IRELAND +
A + MONTENEGRO + SPAIN + SWEDEN + FRANCE + PRINCIPALITY OF ANDORRA + PORTUGAL

GLASS

- UNIKGLASS
- POCKET GLASS
- KT GLASS
- KT GLASS EXPERT

RECESSED
HARDWARE

NO GLASS
DRILLING
NECESSARY



POCKET GLASS



UNIKGLASS



KT GLASS EXPERT

UNIKGLASS 	198 lbs	 X= 1 9/16" Y= 2 7/8"	3/8"-1/2"
POCKET GLASS 	276 lbs	 X= 1 3/8" Y= 1 11/16"	3/8"-1/2"
KT GLASS 	176 lbs	 X= 7/8" Y= 1 3/16"	5/16"-3/8"
KT GLASS EXPERT 	397 lbs	 X= 1 11/16" Y= 2 9/16"	3/8"-1/2"
	MAX WEIGHT	TRACK	GLASS THICKNESS


Single sliding door

METAL OR WOOD


SLID S & RETRAC

SLID TOP

SLID POCKET



SLID RETRAC (BARN DOOR)









SLID TOP - SLID RETRAC (RECESSED)



SLID POCKET



SLID S

<p>SLID S / SLID RETRAC</p> 	<p>198 lbs --- 287 lbs</p>	 <p>X= 1 5/16" Y= 1 3/4" --- X= 1 3/8" Y= 1 3/4"</p>	<p>1 3/8"-1 3/4"</p>
<p>SLID TOP</p> 	<p>198-287 lbs</p>	 <p>X= 2 3/8" Y= 1 3/4"</p>	<p>1 3/8"-1 3/4"</p>
<p>SLID POCKET</p> 	<p>198 lbs</p>	 <p>X= 1 5/16" Y= 1 3/4"</p>	<p>1 3/8"-1 3/4"</p>
	<p>MAX WEIGHT</p>	<p>TRACK</p>	<p>DOOR THICKNESS</p>

GLASS

ROLL GLASS

LESS THAN
3/8"
BETWEEN
PANELS



ROLL GLASS 135



ROLL GLASS 90



ROLL GLASS 90



ROLL GLASS 175 RECESSED

Fixed & sliding do



ROLL GLASS 135 RECESSED

ROLL GLASS 90	198 lbs	 X= 1 7/8" Y= 3 1/8"	3/8" - 1/2"	YES	SILVER MARINER ALUMINIUM Anodized AA 20 microns (ISO 7599)
ROLL GLASS 135	298 lbs	 X= 2 1/16" Y= 3 3/4"	3/8" - 1/2"	YES or NO	SILVER MARINER ALUMINIUM Anodized AA 20 microns (ISO 7599)
ROLL GLASS 175	385 lbs	 X= 2 5/16" Y= 3 3/4"	3/8" - 1/2"	YES or NO	SILVER MARINER ALUMINIUM Anodized AA 20 microns (ISO 7599)
	MAX WEIGHT	TRACK	GLASS THICKNESS	VALANCE	FINISHING

or systems

GLASS

UNIKMATIC

ROLMATIC

UNIKMATIC CORNER

ROLMATIC CORNER

MANUAL
SIMULTANEOUS
OPENING



Synchronized doo



UNIKMATIC



UNIKMATIC



ROLMATIC RECESSED

UNIKMATIC	198 lbs	 X= 2 1/8" Y= 3 3/8"	3/8" - 1/2"
ROLMATIC	198 lbs	 X= 2 7/16" Y= 4 1/8"	3/8" - 1/2"
	MAX WEIGHT	TRACK	GLASS THICKNESS

GLASS

UNIKMATIC
ROLMATIC
UNIKMATIC CORNER
ROLMATIC CORNER

MANUAL
SIMULTANEOUS
OPENING



ROLMATIC CORNER

Corner synchroniz

EXCLUSIVE



EXCLUSIVE



UNIKMATIC CORNER

ed door systems

www.klein-usa.com

KLEIN USA, Inc.® | 833 Magnolia Ave. | Elizabeth, NJ 07201
Toll Free: (888) KLEIN US | Phone: 908 994 1111 | Fax: 908 994 1119

KLEIN USA, Inc.® products patented in USA: 5.450.693 | 11/016,589 | 11/443,867 | 11/946,501